

SOP No: AHT 35

SUBJECT: Euthanasia of Mice (Cervical dislocation)

POLICY: - Operator must be experienced and competent at this technique.

PRECAUTIONS: Gloves, eye protection, mask, long-sleeved gown, closed in shoes.

EQUIPMENT: None.

PROCEDURE:

1. Remove mouse from cage and place on the cage lid.
2. Restrain the mouse by grasping the base of the tail with the thumb and forefinger and firmly pressing the fingers down on the back of the mouse. Press downward and outward at the base of the head with the free thumb or thumb and forefinger together.
3. Pull the tail with a quick upwards and outwards motion and the thumb will roll down onto the neck.
4. Ensure that there is a distinct dislocation of the vertebrae of the neck leaving a gap behind the head.

RECOMMENDATIONS:

DATE ISSUED: 18.2.2004

REVISED: 25.02.2009

REFERENCES

1. American Veterinary Medical Association, Report of the AVMA Panel on Euthanasia, JAVMA (1993) 202: 229-249.
2. The UFAW Handbook on the Care and Management of Laboratory Animals, 6th Edition. Ed. T.B. Poole, Longman Scientific and Technical, 1998.
3. Recommendations for euthanasia of experimental animals, Report of a Working Party. Reprinted from Laboratory Animals (1996) 30:293-316 and (1997) 31: 1-32.