

**Annotated bird list for Oxley Creek Common - seen or heard from Common
Hugh Possingham, February 2009 - h.possingham@uq.edu.au, 07 3379 9388**

178 species have now been reliably recorded from Oxley Creek Common

The percentage number is the chance I saw it in 60 visits over 5 years (2004-2008) during a 100 minute cycle through the common.

DN - David Niland; MG - Mat and Cathy Gilfedder; BM - Mike Bennett, MR - Mark Roberts; CS - Chris Sanderson; RS - Rebecca Stroud

Family/Common Name	Scientific name	%	R	B	Comments
MEGAPODIDAE					
Australian Brush-turkey	Alectura lathami	37%	1	b	Increasing, and since Jan 2007 almost always present, mound building first dip
PHASIANIDAE					
Brown Quail	Coturnix ypsilophora	58%	1		All year, but easier to detect when calling in warmer months
ANSERANATIDAE					
Magpie Goose	Anseranas semipalmata	17%	1	B	Odd birds until spring 2006 when three birds turned up and successfully bred on Pelican lagoon, now more regular in small numbers
ANATIDAE					
Plumed Whistling-Duck	Dendrocygna eytoni	3%	1		30 Jan 05; 27 Jan 06 (26 birds); 22 Nov 08 (15 birds); 14 Dec 08 (fo); 14 Feb 09 (2); 17 Feb 09 (4)
Wandering Whistling-Duck	Dendrocygna arcuata	2%	1		22 Nov 08 (12 birds); 23 Nov 08 (6 birds) after floods
Black Swan	Cygnus atratus	10%	1		Less common since Salvinia started appearing on Pelican lagoon, none recently, since 2006?
Australian Wood Duck	Chenonetta jubata	60%	1		Possibly increasing, often close to abandoned sheds
Cotton Pygmy-goose	Nettapus coromandelianus	2%	1		27 Feb 08 two fem (MG); 22 Nov 08 (pair)
Pacific Black Duck	Anas superciliosa	100%	1	B	From about two to 30 birds
Australasian Shoveler	Anas rhynchos	7%	1		Two autumn 05, two July-Sep 07, 10 May 08 (three), 29 Apr 08 (one)
Grey Teal	Anas gracilis	77%	1		Up to 25 birds
Chestnut Teal	Anas castanea	0%	1		Pelican Lagoon, July 2004 (MB), specifically: 4/7/04 two, 5/7/04 five, 17/7/04 two, 18/7/04 four, (MB), 13,21/09/08 two (HP)
Pink-eared Duck	Malacorhynchus membranaceus	3%	1		7 Oct to 27 Nov 07, just one; two 1 Jan 08, one 4 Jan 08
Hardhead	Aythya australis	42%	1		Mainly on Pelican lagoon
PODICIPEDIDAE					
Australasian Grebe	Tachybaptus novaehollandiae	87%	1		Pelican lagoon and Jabiru swamp, only absent when salvinia covers lagoon, up to 14, usually about 6; breeds
ANHINGIDAE					
Darter	Anhinga melanogaster	47%	1		Oxley Creek and Pelican lagoon and occasionally flying over
PHALACROCORACIDAE					
Little Pied Cormorant	Phalacrocorax melanoleucos	60%	1		Generally only one to few
Pied Cormorant	Phalacrocorax varius	8%	1		Odd birds flying along Oxley Creek or at Pelican Lagoon
Little Black Cormorant	Phalacrocorax sulcirostris	60%	1		Most abundant and regular cormorant
Great Cormorant	Phalacrocorax carbo	20%	1		Not often, then just ones and twos
PELECANIDAE					
Australian Pelican	Pelecanus conspicillatus	47%	1		Usually Pelican lagoon, up to eight may roost on small islands in PL or JS
ARDEIDAE					
White-faced Heron	Egretta novaehollandiae	63%	1		Rarely more than one or two
Little Egret	Egretta garzetta	17%	1		Rarely more than one, usually Pelican lagoon
White-necked Heron	Ardea pacifica	7%	1		3rd July 04, 21 Jun 05, 8 Apr 06, 26 Apr 06, 3 May 06, 22 May 06, 12th Jun 06, 8 Nov 06, 28 Dec 06, 14 Oct 07 (4), 30 Mar 08, 14 Jun 08, 12 Oct 08
Great Egret	Ardea alba	38%	1		Usually just one or two, four after a flood
Intermediate Egret	Ardea intermedia	77%	1		Usually two or three, but up to twenty
Cattle Egret	Ardea ibis	100%	1		Often ten or more, sometimes up to fifty
Striated Heron	Butorides striatus	7%	1		Along Oxley Creek
Nankeen Night Heron	Nycticorax caledonicus	28%	1		Most often roosting in giant bamboos on the other side of the creek from the lost forest, also Pelican lagoon and Oxley creek
THRESKIORNITHIDAE					
Glossy Ibis	Plegadis falcinellus	32%	1		Usually one to four but up to twenty, slowly disappearing in 2007?, eight 21 Jan 2007, 14 June 2008 (1)
Australian White Ibis	Threskiornis molucca	92%	1		Often several, up to thirty, many fly over
Straw-necked Ibis	Threskiornis spinicollis	65%	1		Generally on short grass, small numbers unless a flock flies over; possibly less common in spring
Royal Spoonbill	Platalea regia	32%	1		Usually only one or two
Yellow-billed Spoonbill	Platalea flavipes	0%	1		31 May 2006, 1 June 2006, (MB, CS); 17 Apr 2006, 24 June 2006 (CR, RD) all probably the same bird
CICONIIDAE					
Black-necked Stork	Ephippiorhynchus asiaticus	3%	1		Irregular and easily disturbed, recent single bird May-June 08, summer 08/09 more regular,
ACCIPITRIDAE					
Osprey	Pandion haliaetus	0%	1		7 June 08 (MG), 15 Feb 09 (AP)
Pacific Baza	Aviceda subcristata	2%	1		24th Oct 2004. Prefers more trees, more common in other parts of Brisbane but erratic
Black-shouldered Kite	Elanus axillaris	18%	1		One or two and sometimes a juvenile
Whistling Kite	Haliastur spheurnus	0%	1		23 Oct 04 one (MB); 30 May 07 one (DN); 16 Jul 07 (WR); 21 Sep 08 two; Oct 08

Family/Common Name	Scientific name	%	R	B	Comments
Brahminy Kite	<i>Haliastur indus</i>	3%	1		22 Sept 04 (MB); 14 Nov 04 (CR, RD); 21 Jan 06 (MG); 21 Jan 07 (CR, RD), 9 Feb 08, 7 Jun 08, Oct 08, 18 Mar 09,
White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	17%	1		One or two birds regularly seen bringing a flying fox up Oxley Creek. Also hangs around swamps
Swamp Harrier	<i>Circus approximans</i>	2%	1		3rd July 2004, 25th Apr 2006, 28th Dec 2006 - surprisingly uncommon in SE QLD
Brown Goshawk	<i>Accipiter fasciatus</i>	15%	1		More often near Oxley creek
Grey Goshawk	<i>Accipiter novaehollandiae</i>	2%	1		1st Mar 2004, along creek
Collared Sparrowhawk	<i>Accipiter cirrhocephalus</i>	8%	1		
Wedge-tailed Eagle	<i>Aquila audax</i>	0%	1		19th April 2005 (MG); 1 April 2007; Oct 2008
Little Eagle	<i>Hieraetus morphnoides</i>	0%	1		8th July 2006 (MG)
FALCONIDAE					
Brown Falcon	<i>Falco berigora</i>	28%	1		Perched on fence posts and eucalypts in the grassland, seemingly resident in 2007-9
Australian Hobby	<i>Falco longipennis</i>	10%	1		Often on power lines or near Jabiru Swamp
Peregrine Falcon	<i>Falco peregrinus</i>	3%	1		24 Apr 2005 (MG), 10 Oct 2006 (MG), 1 Apr 2007 (TM), 11 Jul 2007 (CR, RD), 7 Oct 2007 (sev), regular late2007-early 2008
Nankeen Kestrel	<i>Falco cenchroides</i>	23%	1		2004-5 near big red shed, now usually on wires and less frequent
RALLIDAE					
Buff-banded Rail	<i>Gallirallus philippensis</i>	25%	1		Usually under mangroves or near dense cover, sometimes Pelican lagoon
Baillon's Crake	<i>Porzana pusilla</i>	2%	1		One or two birds regular on Pelican lagoon spring 2006; 16, 28 Sept 2007 two (BL, WR)
Spotless Crake	<i>Porzana tabuensis</i>	2%	1		10/2/2007 one at pelican Lagoon (HP)
Purple Swamphen	<i>Porphyrio porphyrio</i>	98%	1		Mainly Pelican lagoon, and Jabirum swamp Usually around 10
Dusky Moorhen	<i>Gallinula tenebrosa</i>	88%	1	B	A few on pelican lagoon, also along oxley creek under mangroves
Eurasian Coot	<i>Fulica atra</i>	58%	1	B	Pelican lagoon when there is clear water, up to fifteen, breeding
TURNICIDAE					
Red-backed Button-quail	<i>Turnix maculosa</i>	0%	1		28-30 Dec 2006, drain near Pelican Lagoon (HP, MG)
SCOLOPACIDAE					
Latham's Snipe	<i>Gallinago hardwickii</i>	28%	1		Several birds, mainly around lagoons spring-summer-autumn
Marsh Sandpiper	<i>Tringa stagnatilis</i>	2%	1		One bird on Jabiru swamp from Oct 2006 to Dec 2006; also Oct 2007
Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	2%	1		25th Mar 2005, and other dates, jabiru swamp; 14 Nov 2004, 31 Dec 2006
JACANIDAE					
Comb-crested Jacana	<i>Irediparra gallinacea</i>	2%	1		One on 14th Feb 2004 (HP)
BURHINIDAE					
Bush Stone-curlew	<i>Burhinus grallarius</i>	0%	1		Heard from Common but not seen on Common
RECURVIROSTRIDAE					
Black-winged Stilt	<i>Himantopus himantopus</i>	88%	1		Usually several on jabiru swamp, breeds, can be up to 20
CHARADRIIDAE					
Pacific Golden Plover	<i>Pluvialis fulva</i>	2%	1		One bird on Jabiru Swamp from 23rd Oct 2004 - 30th Oct 2004 (HP, MB)
Black-fronted Dotterel	<i>Elsayornis melanops</i>	37%	1	b	Pelican Lagoon and Jabiru Swamp, up to four
Red-kneed Dotterel	<i>Erythrogonys cinctus</i>	10%	1		May have bred at the back of Pelican Lagoon 2006, up to three birds, none 2008?
Masked Lapwing	<i>Vanellus miles</i>	98%	1	B	A few pairs always present
LARIDAE					
Silver Gull	<i>Larus novaehollandiae</i>	0%	1		June 2005 (MR, DN); once common - Woodall (1986)
Gull-billed Tern	<i>Sterna nilotica</i>	2%	1		3 July 2004 (HP)
Caspian Tern	<i>Sterna caspia</i>	0%	1		13 July 2005 (MG)
Whiskered Tern	<i>Chlidonias hybridus</i>	3%	1		8 Jan 2006, 26 Dec 2006, 8th Jan 2006 (MB), 4 Oct 2006 (1, CS), 23rd Oct 2004 (8, MB), 13 Oct 2007 (5, R)
COLUMBIDAE					
Rock Dove	<i>Columba livia</i>	68%	1		A few here and there and occasionally a large flock overhead in the north
White-headed Pigeon	<i>Columba leucomela</i>	2%	1		13th May 2006 (HP), 17 Mar 2007 (RS), more common on west side of Sherwood-Chelmer
Spotted Turtle-Dove	<i>Streptopelia chinensis</i>	93%	1		Mainly along creek
Emerald Dove	<i>Chalcophaps indica</i>	0%	1		22nd Sept 04 - one bird (MB)
Crested Pigeon	<i>Ocyphaps lophotes</i>	87%	1		
Peaceful Dove	<i>Geopelia striata</i>	0%	1		17 Mar 2007 one (RS)
Bar-shouldered Dove	<i>Geopelia humeralis</i>	98%	1		More common than Spotted Turtle-dove along creek, probably about 5-20
Topknot Pigeon	<i>Lopholaimus antarcticus</i>	2%	1		June 05 (MR, DN); 22 Mar 07 (30, HP); 15 May 07 (60, MG); 22 Apr 07 (42); 26 May 07 (20, CR, MR); 25 Apr 08 (17), 14 Jun 08 (12); 4 Aug 08 (12, DN),
CACATUIDAE					
Red-tailed Black-Cockatoo	<i>Calyptorhynchus banksii</i>	0%	1		A pair flying over on 9 Feb 06 (DN)
Galah	<i>Cacatua roseicapilla</i>	60%	1		May be more common in second half of year?
Little Corella	<i>Cacatua sanguinea</i>	28%	1		Usually just flying over
Long-billed Corella	<i>Cacatua</i>	0%	1		26 June 05 (MG); regular at Sherwood Arboretum
Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	70%	1		Some odd birds may be escapees
Cockatiel	<i>Nymphicus hollandicus</i>	0%	1		7 Mar 08 one (HP), almost certainly an escapee

Family/Common Name	Scientific name	%	R	B	Comments
PSITTACIDAE					
Rainbow Lorikeet	Trichoglossus haematodus	100%	1		Mainly flying over
Scaly-breasted Lorikeet	Trichoglossus chlorolepidotus	85%	1		Mainly flying over
Little Lorikeet	Glossopsitta pusilla	0%	1		11th June 2005 (CH), 2nd Sept 2004 (MB), not uncommon at Sherwood Arboretum
Australian King-Parrot	Alisterus scapularis	7%	1		Mainly heard or flying over - maybe more in winter
Pale-headed Rosella	Platycercus adscitus	67%	1		In ones and twos
CUCULIDAE					
Oriental Cuckoo	Cuculus saturatus	0%	1		31 Mar 2007 (RS)
Pallid Cuckoo	Cuculus pallidus				26 Jan 2009 (KS and GL White - unconfirmed)
Brush Cuckoo	Cacomantis variolosus	0%	1		12 Mar 09, juv (MG)
Fan-tailed Cuckoo	Cacomantis flabelliformis	0%	1		15 July 04 (DN), 2 July 06 (MB), 21 April 07 (RS)
Horsfield's Bronze-Cuckoo	Chrysococcyx basalis	18%	1	B	One bird about from mid Oct 2006 to mid Dec 2006; 7 Oct - 20 Nov 2007 (up to 4), 7 Sep 08 - Dec 08 (1), 14 Feb 09 (1 being fed by RBFW)
Shining Bronze-Cuckoo	Chrysococcyx lucidus	3%	1		3rd July 04, 13th Nov 04, 18th April 05, 14 Apr 06, 22-23 Sept 07, 12 Dec 08 - only creek
Common Koel	Eudynamys scolopacea	37%	1		Not winter
Channel-billed Cuckoo	Scythrops novaehollandiae	33%	1		Not winter
CENTROPODIDAE					
Pheasant Coucal	Centropus phasianinus	32%	1		More often heard than seen
STRIGIDAE					
Southern Boobook	Ninox novaeseelandiae	0%	1		6th June 2006 (DN) 3rd Nov 2007 (AP)
TYTONIDAE					
PODARGIDAE					
Tawny Frogmouth	Podargus strigoides	0%	1		27th June 2005 (MG, HP)
AEGOTHELIDAE					
APODIDAE					
White-throated Needletail	Hirundapus caudacutus	15%	1		Not winter
Fork-tailed Swift	Apus pacificus	0%	1		6 March 2005 (CR, MR) two with WTNT; 15 Nov 08 (MB) with WTNT
ALCEDINIDAE					
Azure Kingfisher	Alcedo azurea	2%	1		1st Jan 05, 15 Jan 09 (EMM), 13 Mar 09, along creek
HALCYONIDAE					
Laughing Kookaburra	Dacelo novaeguineae	83%	1		At least a couple of families
Forest Kingfisher	Todiramphus macleayii	2%	1		A pair present some of winter 2005, 28 Aug 2005, 27 Feb 08,
Sacred Kingfisher	Todiramphus sanctus	43%	1		Mainly summer, two or three pairs breed along Oxley Creek, also odd birds in winter
Collared Kingfisher	Todiramphus chloris	0%	1		15th Oct 2006 at Canoe Pontoon (HP)
MEROPIDAE					
Rainbow Bee-eater	Merops ornatus	25%	1		Hard to pick a seasonal pattern
CORACIIDAE					
Dollarbird	Eurystomus orientalis	12%	1		Late spring to autumn, arrives mid-late Sept
MALURIDAE					
Superb Fairy-wren	Malurus cyaneus	98%	1		Several families, e.g. near Red Shed and at Pelican Lagoon. Needs some cover
Variiegated Fairy-wren	Malurus lamberti	55%	1		Dense vegetation along creek
Red-backed Fairy-wren	Malurus melanocephalus	100%	1		Most abundant Fairy-wren, extends well into grassland
PARDALOTIDAE					
Striated Pardalote	Pardalotus striatus	47%	1		Odd birds in eucalypts, becoming more common?
White-browed Scrubwren	Sericornis frontalis	93%	1		Common along creek
Mangrove Gerygone	Gerygone levigaster	73%	1		Most often heard along creek especially Areas 1, 4 and 5
White-throated Gerygone	Gerygone olivacea	7%	1		23rd Apr 2006; 23rd June 2006; 15th May 2007; Sep 2007, more common at Cliveden Reserve where regular winter visitor favouring eucalypts
Yellow-rumped Thornbill	Acanthiza chrysorrhoa	22%	1		Mainly between Second Dip and Pelican Lagoon - Areas 5 and 6. Used to be just a pair, in 2006 and 2007 up to seven birds in one or two flocks, maybe increasing
MELIPHAGIDAE					
Spiny-cheeked Honeyeater	Acanthagenys rufogularis	2%	1		2nd May 2005 and for a few weeks after that, two or three birds; 23rd May 2007 - 400m sth of red shed (MG)
Striped Honeyeater	Plectorhyncha lanceolata	70%	1		Probably just one family, usually heard rather than seen, likes large eucalypts in the paddocks; maybe more obvious in the winter
Noisy Friarbird	Philemon corniculatus	20%	1		Rare or absent in summer; migrates through in autumn, spring?
Little Friarbird	Philemon citreogularis	63%	1		Rarely more than a few, bred in lone blue gum at Jabiru swamp
Blue-faced Honeyeater	Entomyzon cyanotis	72%	1		Often flying over or using scattered eucalypts
Noisy Miner	Manorina melanocephala	100%	1		Relatively uncommon, a party around the Secret Forest and a party across river in Nosworthy Park
Lewin's Honeyeater	Meliphaga lewinii	85%	1		Along creeks in dense vegetation
Yellow-faced Honeyeater	Lichenostomus chrysops	7%	1		Erratic winter visitor, particularly 2005
Brown Honeyeater	Lichmera indistincta	100%	1		Much more abundant in the winter. Numbers rising from about 10 to well over 50
Eastern Spinebill	Acanthorhynchus tenuirostris	0%	1		May 2007 [TM], other winter records from nearby

Family/Common Name	Scientific name	%	R	B	Comments
Scarlet Honeyeater	Myzomela sanguinolenta	18%	1		Up to forty birds in winter/early spring in eucalypts, melaleucas and flowering mangroves, not summer, not some years (eg not 2008)
PETROICIDAE					
Rose Robin	Petroica rosea	2%	1		Rare probably consistent winter visitor, May-August; sev records including 5 May 07; 3 Aug 08
Red-capped Robin	Petroica goodenovii	0%	1		One uncoloured bird - June 2008 (MG)
Eastern Yellow Robin	Eopsaltria australis	18%	1		One lonely bird in Nosworthy Park that occasionally crosses Oxley Creek
CINCLOSOMATIDAE					
Eastern Whipbird	Psophodes olivaceus	93%	1		Two or three pairs in dense vegetation along creek, rarely seen
PACHYCEPHALIDAE					
Golden Whistler	Pachycephala pectoralis	27%	1		Not summer, several in winter along creek
Rufous Whistler	Pachycephala rufiventris	47%	1		Not summer?, but more autumn and spring than golden whistler
Little Shrike-thrush	Colluricincla megahyncha	0%	1		16 July 2007 (Willem Renema)
Grey Shrike-thrush	Colluricincla harmonica	87%	1		A couple of pairs along creek, one often opposite Nosworthy park.
DICRURIDAE					
Black-faced Monarch	Monarcha melanopsis	2%	1		30 Oct 04 (MB), 17 Mar 07 (RS), 9 Feb 08 (HP), 7-29 Mar 09 (one bird seen several times)
Leaden Flycatcher	Myiagra rubecula	7%	1		Most likely on migration, autumn and spring
Restless Flycatcher	Myiagra inquieta	8%	1		One bird present winter of 2005 west of Pelican lagoon most of the time (first 2 Apr 2005); one bird around May-June 2007 (RS, HP, DN), at Cliveden winter 2008
Magpie-lark	Grallina cyanoleuca	100%	1		Several pairs/families
Rufous Fantail	Rhipidura rufifrons	0%	1		17 Mar 07 (RS), 30 Mar 08 (HP), 29 Mar 09 two (HP)
Grey Fantail	Rhipidura fuliginosa	43%	1		Common from autumn to spring, not summer so far (1 Mar 08), but a few birds do spend summer in Brisbane
Willie Wagtail	Rhipidura leucophrys	100%	1		Several pairs, maybe more in winter
Spangled Drongo	Dicrurus bracteatus	75%	1		Regular along creek, absent or rare mid Oct-Dec
CAMPEPHAGIDAE					
Black-faced Cuckoo-shrike	Coracina novaehollandiae	93%	1		There may be a seasonal pattern
White-bellied Cuckoo-shrike	Coracina papuensis	0%	1		24 May 2005 (MG), three near Red Shed; one 16 Apr 2005 (CR, MR)
Cicadabird	Coracina tenuirostris	0%	1		Water Gauge on 23rd Oct 2004 (MB, PK), Nosworthy Park in 2004 (HP), 12 May 2007 (RS)
White-winged Triller	Lalage sueurii	2%	1		14th Oct 2004, 11th April 2006, 21st June 2005, 26th June 2005; 14-22 Oct 2007 (1-5), odd birds in the Corinda-St Lucia area usually from Sept to Nov
Varied Triller	Lalage leucomela	12%	1		easier to find when calling in spring and early summer, more regular Cliveden reserve, maybe now two pairs/groups
ORIOOLIDAE					
Olive-backed Oriole	Oriolus sagittatus	63%	1		Probably all year, but appears more common in spring-summer when calling
Figbird	Sphecotheres viridis	97%	1		Can be many - i.e. 30-40
ARTAMIDAE					
White-breasted Woodswallow	Artamus leucorhynchus	38%	1		Maybe more common in 2006, along creek or at Pelican Lagoon, bred Pelican lagoon 2008
Grey Butcherbird	Cracticus torquatus	95%	1		Hoop pines of Secret Forest a good spot, usually heard
Pied Butcherbird	Cracticus nigrogularis	98%	1		Usually seen in hoop pines of Secret Forest, or opposite Nosworthy Park
Australian Magpie	Gymnorhina tibicen	100%	1		
Pied Currawong	Strepera graculina	28%	1		Prefers more wooded areas, more likely in late winter, slow increase?
CORVIDAE					
Torresian Crow	Corvus orru	100%	1		Ranging from 15-50, maybe more in winter
MOTACILLIDAE					
Richard's Pipit	Anthus novaeseelandiae	88%	1		Around Red Shed and along mown paths, especially near Pelican Lagoon, likes some areas of short grass, up to ten birds
PASSERIDAE					
Zebra Finch	Taeniopygia guttata	0%	1		10 Feb 2007 (HP) one with DBFI
Double-barred Finch	Taeniopygia bichenovii	93%	1	B	Most regular finch, breeds
Plum-headed Finch	Neochmia modesta	10%	1	B	From 2-14 birds, sometimes with juveniles. Probably breeding; recent - 10 Apr 08, 13 Dec 08, 26 Dec 08, 29 Mar 09
Red-browed Finch	Neochmia temporalis	0%	1		two 8 Oct 05 (CR, RD) section 3?
Nutmeg Mannikin	Lonchura punctulata	5%	1		24 Mar 07, 15 Apr 07 (DN, RS), Sep 07 (flocks), 10 May 08 (5), 12 and 26 June 08 (12)
Chestnut-breasted Mannikin	Lonchura castaneothorax	58%	1	B	In taller grass and reeds, five to ten juveniles in autumn 2006 and 2007, and carrying nesting material
DICAEDAE					
Mistletoebird	Dicaeum hirundinaceum	95%	1		Much more abundant in the winter; just a few from Oct-Feb rising to up to 40 over winter
HIRUNDINIDAE					
Welcome Swallow	Hirundo neoxena	87%	1		Especially around lagoons
Tree Martin	Hirundo nigricans	72%	1		More on the creek side of the common and over suburbs
Fairy Martin	Hirundo ariel	40%	1		Especially over water, maybe less common or missing in winter/autumn, maybe not
SYLVIIDAE					
Clamorous Reed-Warbler	Acrocephalus stentoreus	60%	1		Regular at the Second Dip, occasional Pelican Lagoon, and several in the inaccessible third lagoon
Tawny Grassbird	Megalurus timoriensis	87%	1		Common but harder to find (less common?) in winter
Little Grassbird	Megalurus gramineus	2%	1		7 Sep 08 and 23 Nov 08, Pelican Lagoon

Family/Common Name	Scientific name	%	R	B	Comments
Rufous Songlark	Cincloramphus mathewsi	2%	1		20 Sept - 22 Oct 07 one or two
Brown Songlark	Cincloramphus cruralis	2%	1		One bird winter 2006 (CS, MG etc); 13 Oct - 3 Nov 2007 (RS et al.)
Golden-headed Cisticola	Cisticola exilis	100%	1		Abundant but harder to find (less common) in winter
ZOSTEROPIDAE					
Silvereye	Zosterops lateralis	100%	1		Abundant, especially along creek
STURNIDAE					
Common Starling	Sturnus vulgaris	45%	1		More often across river near railway line, some near abandoned sheds
Common Myna	Acridotheres tristis	85%	1		Increasing from a few to about ten from 2004-2006 (HP, MB)
Total seen on regular surveys		147	178		Total list - all observers and visits
Expected number of species seen in 100 minutes		64.6			